

Les troubles du morphotype Rotatorie


Quels outils de dépistage a l'examen clinique:

- La compréhension de l'origine de la déformité passe par l'examen clinique avant tout.



Foot progression angle:

- Mesure l'angle entre la ligne de progression de la marche et l'axe du pied



Les troubles du morphotype Rotatorie

Quels outils de dépistage a l'examen clinique:



Mesure de la rotation de la hanche

Newborns

- **Internal rotation:** Approximately 40° (range: 10° – 60°)
- **External rotation:** Approximately 70° (range: 45° – 90°)

Children (by age 10)

- **Internal rotation:** Averages 50° (range: 25° – 65°)
- **External rotation:** Averages 45° (range: 25° – 65°)

Age 15

- **Internal rotation:** Normal range is 20° – 60°
- **External rotation:** Normal range is 20° – 55°

LOWER EXTREMITY

Hip Range of Motion in Children What Is the Norm?

Sankar, Wudbhav N. MD; Laird, Christopher T. BS; Baldwin, Keith D. MD, MSPT, MPH

[Author Information](#)😊

Journal of Pediatric Orthopaedics 32(4):p 399-405, June 2012. | DOI: 10.1097/BPO.0b013e3182519683

- Fourchettes très larges
- Pas de consensus sur valeurs pathologiques
- Variation également entre populations